SAFETY DATA SHEET



DEOSTOR FIRE

FLORAL

APPLIED PRODUCTS AUSTRALIA PTY LTD

Catalogue number: AP522.05 Version No: 2.2 Issue date: 01/04/2024

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	DEOSTOR FIRE FLORAL
Product code	AP522.05
Pack sizes	1L & 5L

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Odour neutralizing concentrate

Details of the manufacturer/importer

	•	
Registered company	name APPLIED PRODUCTS AUSTRALIA PTY LTD	The Restoration Group Ltd
Ad	dress 11 Gamma Close, Beresfield 2322 NSW Australia	53 Wakefield Street, Onekawa, Napier 4110
Telep	hone (02) 4966 5516	(06) 835 - 0065
We	bsite www.actichem.com.au	www.restorationgroup.co.nz
	Email info@actichem.com.au	info@restorationgroup.co.nz

Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS.NAME OF ASSIGNED GROUP STANDARD AND HSNO APPROVAL NUMBER:

leaning Products Flammable Gro	up Standard 2020 HSR002528
--------------------------------	----------------------------

Skin Category 1. Flammable Liquid Category 3,

Poisons Schedule Not Applicable

GHS Classification Eye Irritation Category 2A, Skin Corrosion Cat 2, Sensitisation – Respiratory Category 1, Sensitisation –

Label elements STOT Respiratory Irritation Category 3. STOT Repeated Exposure Category 2

Classification drawn from HCIS and ECHA In GHS label elements





SIGNAL WORD	DANGER	
Hazard statement(s)		
H226	Flammable liquid and vapour	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H334	May cause allergy or asthma symptoms or breathing	
H317	difficulties May cause an allergic skin reaction	
H335	May cause respiratory irritation	

This SDS and the hazard classifications contained herein only apply to the product in its concentrated form as supplied. When

Product Code: AP522.05 Version No: 2.2

P241 P242 P243 P280 P261	Keep away from heat/sparks/open flames/hot surfaces No smoking Keep container tightly closed. Ground/Bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves and eye protection
P240 P241 P242 P243 P280 P261	Ground/Bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.
P241 P242 P243 P280 P261	Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.
P242 P243 P280 P261	Use only non-sparking tools. Take precautionary measures against static discharge.
P243 P280 P261	Take precautionary measures against static discharge.
P280 P261	
P261	wear protective groves and eye protection
	Assert by a state of market by the state of
P262	Avoid breathing mists/vapours/spray.
	Do not get in eyes, on skin or on clothing.
	Wash thoroughly after handling.
	Avoid release to the environment.
P272	Contaminated work clothing should not be allowed out of the
P285	workplace In case of inadequate ventilation wear respiratory
P271	protection
	Use only outdoors or in a well-ventilated area.
cautionary statement(s) Res	sponse
303+P361+P353+P333+P313	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Wash with plenty of water and soap. If skin irritation or rash occurs, get medical advice / attention.
D212+D210+D2E1+D220	IF IN EYES: Get medical advice/attention. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTRE or doctor.
P304+P341+P342+P311	
P370+P378	In case of fire: Use alcohol resistant foam or normal protein foam for extinction.
	Wash contaminated clothing before reuse.
cautionary statement(s) Stor	rage
P405+P403+P235	Store locked up. Store in a well-ventilated place. Keep cool.
cautionary statement(s) Disp	posal
P501	Dispose of contents / container in accordance with local government regulations

Substances

See section below for composition of Mixtures.

Mixtures

CAS No %[weight] Name	
67-63-0 10-<30 isopropanol	
64-17-5 10-<30 ethanol-;	
Trade secret <10 proprietary fragrance A	
Trade secret <10 proprietary fragrance B	
57-55-6 <10 propylene glycol	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Seek medical attention without delay. Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	If vapours or spray are inhaled remove from contaminated area into fresh air. If breathing is difficult obtain medical advice/attention without delay. —Immediately give a glass of water.
Ingestion	First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

 $Indication \ of \ any \ immediate \ medical \ attention \ and \ special \ treatment \ needed.$

Treat symptomatically.

Product Code: AP522.05 Version No: 2.2

SECTION 5 FIREFIGHTING MEASURES

	media

Extinguishing media Use alcohol resistant foam or normal protein foam for extinction

Special hazards arising from the substrate or mixture.

Advice fo

Fire incompatibilities	Avoid contamination with oxidising agents	
for firefighters		
Fire fighting	Alert Fire Brigade and tell them location and nature of hazard. May be violently or explosively reactive. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water course. Consider evacuation (or protect in place). Fight fire from a safe distance, with adequate cover. If safe, switch off electrical equipment until vapour fire hazard removed. Use water delivered as a fine spray to control the fire and cool adjacent area. Avoid spraying water onto liquid pools. Do not approach containers suspected to be hot	
Fire/Explosion Hazard	Contains low boiling substance: Closed containers may rupture due to pressure buildup under fire conditions. Liquid and vapour are highly flammable. Severe fire hazard when exposed to heat, flame and/or oxidisers. Vapour may travel a considerable distance to source of ignition. Heating may cause expansion or decomposition leading to violent rupture of containers. On combustion, may emit toxic fumes of carbon monoxide (CO), carbon dioxide (CO2) and other pyrolysis products typical of burning organic material	

SECTION 6 ACCIDENTAL RELEASE MEASURES

HAZCHEM

Personal precautions, protective equipment and emergency procedures

3Y

	Minor environmental hazard - contain spillage.	

Clean up all spills immediately.

Avoid breathing vapours and contact with skin and eyes. Minor Spills

Control personal contact with the substance, by using protective equipment.

Contain and absorb spill with sand, earth, inert material or vermiculite.

Wipe up.

Place in a suitable, labelled container for waste disposal.

Minor environmental hazard - contain spillage.

Major Spills

Wear eye protection plus protective gloves. Prevent, by any means available, spillage from entering drains or water course.

Stop leak if safe to do so.

Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations.

Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle.

PPE

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

i recautions for sale manding	
Safe handling	Wear respiratory protection and eye protection when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers.
Other information	

Conditions for safe storage, including any incompatibilities.

Suitable container	Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.	
Storage incompatibility	Avoid reaction with oxidising agents	

Product Code: AP522.05 Version No: 2.2

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source Ingredient		Material name	TWA STEL		Peak	Notes
Australia Exposure Standards Australia Exposure Standards	isopropanol	Isopropyl alcohol	683 mg/m3 / 400 ppm	1230 mg/m3 / 500 ppm	Not Available	Not Available
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ethanol, denatured	Ethyl alcohol	1880 mg/m3 / 1000 ppn	n Not Available	Not Available	Not Available
Australia Exposure Standards	Propylene glycol	Propane-1,2-diol	474 mg/m3/150ppm No	t Available	Not Available	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
isopropanol	Isopropyl alcohol	400 ppm	400 ppm	12,000 ppm
ethanol, denatured	Ethyl alcohol	Not available	Not available	Not available

Ingredient	Original IDLH	Revised IDLH
isopropanol	12,000 ppm	2,000 [LEL] ppm
ethanol, denatured	15.000 ppm	3,3000[LEL] ppm

Exposure controls

Appropriate engineering controls	Maintain adequate ventilation at all times.In most circumstances natural ventilation systems are adequate. If ventilation is poor, then the use of a local exhaust ventilation system is recommended
Personal protection	
Eye and face protection	Safety glasses with side shields OR Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye rednes or irritation. Lens should be removed in a clean environment only after workers have washed hands thoroughly.
Skin protection	See Hand protection below
Hands/feet protection	It is good practice to wear protective gloves when handling chemicals. Neoprene gloves are recommended for this application.
Body protection	See Other protection below
Other protection	Eye wash unit.
Thermal hazards	Not Available

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Clear pink liquid		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Strongly fragrant	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C) Decomposition	Not Available
pH (as supplied)	7-8	temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C) Flash point (°C)	Not Available	Molecular weight (g/mol)	Not Available
	>23°C	Taste	Not Available
Flammability	Not Available	Explosive properties	Not Available
	Flammable	Oxidising properties	Not Available
Upper Explosive Limit (%) Lower Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Vapour pressure (kPa)	Not Applicable	Volatile Component (%vol)	Not Available
Solubility in water (g/L)	Not Available	Gas group	Not Available
Vapour density (Air = 1)	Complete Not Available	pH as a solution (1%) VOC g/L	Not Available Not Available

Product Code: AP522.05 Issue Date: 01/04/2024 Version No: 2.2

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical Stability	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
reactions	See section 7 See section 7
Conditions to avoid	See section 7
Incompatible materials	Dec Section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects of the respiratory tract (as classified by EC Directives using animal models). However it is, good hygiene practice for exposure be kept to a minimum and that suitable control measures be used in an occupational setting.
Ingestion	The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. This is because of the lack of corroborating animal or human evidence.
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. This material can cause eye irritation in some
Eye	persons. Eye contact may cause tearing or blurring No relative data is listed.
Chronic	

Toxicological effects of ingredients

Skin corrosion/irritation Eye damage/irritation Respiratory/skin sensitization Germ cell mutagenicity	May be irritating to skin Causes serious eye irritation Not expected to be a sensitizer
Respiratory/skin sensitization	
	Not expected to be a sensitizer
Germ cell mutagenicity	
	Not considered to be a mutagenic hazard
Carcinogenicity	Not considered to be a carcinogenic hazard.
Reproductive toxicity	Not considered to be toxic to reproduction
STOT (single exposure)	May cause drowsiness or dizziness
STOT (repeated exposure)	Not expected to cause toxicity to a specific organ
Aspiration toxicity	Not expected to be an aspiration hazard
Acute toxicity	Oral LD50 (mouse) 3450 mg/kg Inhalation LC50 (rat) 2000 ppm/10hrs
Skin corrosion/irritation	Irritating to skin. Prolonged contact may result in drying and defatting of the skin, rash and dermatitis.
Eye damage/irritation	Irritating to eyes. Exposure may result in lacrimation, irritation, pain and redness
Respiratory/skin sensitization	No Data Available
Germ cell mutagenicity	No Data Available
Carcinogenicity	No Data Available
Reproductive toxicity	No Data Available
STOT (single exposure)	No Data Available
STOT (repeated exposure)	Chronic ingestion may result in cirrhosis of the liver
Aspiration toxicity	No Data Available
· · · · · · · · · · · · · · · · · · ·	No relevant data
	Causes skin irritation
·	Causes serious eye irritation
·	May cause allergy or asthma symptoms or breathing difficulties./ May cause an allergic skin reaction
	No mutagenic component identified
Germ Cell mutagementy	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP or is
Carcinogenicity	identified as a carcinogen or potential carcinogen by OSHA
Reproductive toxicity	Possible reproductive hazard
STOT (single exposure)	May cause respiratory irritation.
STOT (repeated exposure)	None known.
Aspiration toxicity	Not classified.
Acute toxicity	
Skin corrosion/irritation	No relevant data
Eye damage/irritation	Causes skin irritation
Respiratory/skin sensitization	Causes serious eye irritation
Germ cell mutagenicity	May cause allergy or asthma symptoms or breathing difficulties. / May cause an allergic skin reaction
	No mutagenic component identified
	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed carcinogen by IAR
Reproductive toxicity	is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential carcinogen by OSHA
STOT (single exposure)	Possible reproductive hazard
STOT (repeated exposure)	May cause respiratory irritation.
Aspiration toxicity	None known
Acute toxicity	Not classified.
Skin corrosion/irritation	Oral LD50 (rat) >20000 mg/kg Dermal LD50 (rabbit) >2000 mg/kg Inhalation LC50 (rabbit) >20 mg/L/4hr
Eye damage/irritation	May be irritating
Respiratory/skin sensitization	May be an eye irritant
Germ cell mutagenicity	No data available
Carcinogenicity	Not mutagenic
Reproductive toxicity	Non-carcinogenic based on animal studies
STOT (single exposure)	No reproductive or developmental effects.
STOT (repeated exposure)	May cause respiratory irritation
Aspiration toxicity	High doses in diet showed a decrease in red blood cells survival rate
	NOT CLASSIFIED
	Not classified
	NOL CLASSIFIED
	STOT (repeated exposure) Aspiration toxicity Acute toxicity Skin corrosion/irritation Eye damage/irritation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT (single exposure) STOT (repeated exposure) Aspiration toxicity Acute toxicity Skin corrosion/irritation Eye damage/irritation Germ cell mutagenicity Carcinogenicity Reproductive toxicity Skin corrosion/irritation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT (single exposure) STOT (repeated exposure) Aspiration toxicity STOT (single exposure) Aspiration toxicity Skin corrosion/irritation Eye damage/irritation Respiratory/skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT (single exposure) STOT (repeated exposure) STOT (repeated exposure) Aspiration toxicity Acute toxicity StoT (single exposure) STOT (repeated exposure) Germ cell mutagenicity Carcinogenicity Reproductive toxicity Skin corrosion/irritation Eye damage/irritation Eye damage/irritation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT (single exposure) STOT (repeated exposure) STOT (repeated exposure)

Product Code: AP522.05 Version No: 2.2

SECTION 12 ECOLOGICAL INFORMATION

_	• •	
	city	

Endpoint Duration (Hr.) Species Value					
EC50	•	Endpoint	Duration (Hr.)	Species	Value
EC50 72 Algae or other aquatic plants >1000mg/L	isopropanol	LC50	96	Fish	9-640mg/L
ECO 24 Crustacea 5-102mg/L		EC50	48	Crustacea	12500mg/L
ethanol, denatured NOEC 504 Crustacea =30mg/L LC50 96 Fish 42-mg/L EC50 48 Crustacea 2-mg/L EC50 96 Algae or other aquatic plants -8.358-26.503mg/L EC10 168 Algae or other aquatic plants 1.91-mg/L NOEC 2016 Fish 0.000375-mg/L Propylene glycol LC50 48h Crustacea >0.342mg/L Propylene glycol LC50 96h Fish >10000mg/L EC50 96h Algae or other aquatic plants 19000mg/L		EC50	72	Algae or other aquatic plants	>1000mg/L
Crustacea Crus		EC0	24	Crustacea	5-102mg/L
EC50	ethanol, denatured	NOEC	504	Crustacea	=30mg/L
EC50 96 Algae or other aquatic plants -8.358-26.503mg/L		LC50	96	Fish	42-mg/L
EC10		EC50	48	Crustacea	2-mg/L
NOEC 2016 Fish 0.000375-mg/L		EC50	96	Algae or other aquatic plants	-8.358-26.503mg/L
EC50		EC10	168	Algae or other aquatic plants	1.91-mg/L
propylene glycol LC50 96h Fish >10000mg/l EC50 96h Algae or other aquatic plants 19000mg/l		NOEC	2016	Fish	0.000375-mg/L
ECS0 96h Fish >10000mg/t ECS0 96h Algae or other aquatic plants 19000mg/t		EC50	48h	Crustacea	>0.342mg/L
Algae of other aquatic plants	propylene glycol	LC50	96h	Fish	>10000mg/l
		EC50	96h	Algae or other aquatic plants	19000mg/l
		NOEC(ECx)	336h	, ,	<5300mg/l
		TTOLO(EGX)	33011	Algae or other aquatic plants	C3300Hig/t

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
isopropanol	LOW (Half-life = 14 days)	LOW (Half-life = 3 days)
ethanol	LOW (Half-life = 2.17 days)	LOW (Half-life = 5.08 days)
propylene glycol	LOW	LOW

Bio accumulative potential

Ingredient	Bioaccumulation	
isopropanol	LOW (BCF = 130)	
ethanol	LOW (LogKOW = -0.31)	
propylene glycol	LOW (BCF = 1)	

Mobility in soil

Ingredient	Mobility	
isopropanol	HIGH (KOC = 1.06)	
ethanol	HIGH (KOC = 1)	
propylene glycol	HIGH (KOC = 1)	

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / packaging disposal	Recycle containers whenever possible. Product residues and containers should be disposed of in accordance with local government regulations
------------------------------	--

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
HAZCHEM	ЗҮ

Land transport (Not Applicable): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS IN PACK SIZES OF 5L OR LESS

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

ISOPROPANOL IS FOUND ON THE FOLLOWING REGULATORY LISTS

 $\label{eq:australia} \mbox{Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals}$

Australian Inventory of Industrial Chemicals (AIIC)
International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

ETHANOL, DENATURED IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australian Inventory of Industrial Chemicals (AIIC)

PROPYLENE GLYCOL IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5 Australian Inventory of Industrial Chemicals (AIIC)

Page **7** of **7** DEOSTOR FIRE FLORAL

Issue Date: 01/04/2024

SECTION 16 OTHER INFORMATION

Revision Schedule				
Revision Date	26/05/202			
Initial Date	1			
SDS Version Summary	01/10/201			
Version	Issue Date	Sections Updated		
2.1	13/05/202	Sections 2, 3, 11, 12, 15, 16 have been updated or corrected		
2.2	1	Section 2 - Deleted Hazard codes H350 and H373 due to change in formulation.		
	26/05/202			

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources such as the ECHA C&L Chemical Inventory, HSNO (CCID) New Zealand, AICIS and HCIS Australia

DISCLAIMER: While the information in this Safety Data Sheet (SDS) is believed to be true and accurate based on the current level of knowledge available to us, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of APPLIED PRODUCTS AUSTRALIA PTY LTD and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures, or processes.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Government Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit

IDLH: Immediate Danger to Life or Health Concentrations

Odour Safety Factor OSF: NOAEL: No Observed Effects Level Threshold Limit Value TLV: LOD: Limit Of Detection Odour Threshold Value BCF: Bio Concentration Factors

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from Applied Products Australia Pty Ltd.

End of SDS