

SAFETY DATA SHEET



DEOSTOR EXTREME

APPLIED PRODUCTS AUSTRALIA PTY LTD

Catalogue number: AP523.05

Version No: 2.1

Issue date: 01/04/2024

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	DEOSTOR EXTREME
Product code	AP523.05
Pack sizes	1L & 5L

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Odour neutralizing concentrate
--------------------------	--------------------------------

Details of the manufacturer/importer

Registered company name	APPLIED PRODUCTS AUSTRALIA PTY LTD	The Restoration Group Ltd
Address	11 Gamma Close, Beresfield 2322 NSW Australia	53 Wakefield Street, Onekawa, Napier 4110
Telephone	(02) 4966 5516	(06) 835 - 0065
Website	www.actichem.com.au	www.restorationgroup.co.nz
Email	info@actichem.com.au	info@restorationgroup.co.nz

Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	1 0800 - 764 - 766
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. NAME OF ASSIGNED GROUP STANDARD AND HSNO APPROVAL NUMBER:

Cleaning Products Flammable Group Standard 2020 HSR002528

Skin Category 1. Flammable Liquid Category 3,

Poisons Schedule Not Applicable

GHS Classification Eye Irritation Category 2A, Skin Corrosion Cat 2, Sensitisation – Respiratory Category 1, Sensitisation –

STOT Respiratory Irritation Category 3.

Label Elements
Classification drawn from HGIS and ECHA Inventory.

GHS label elements



SIGNAL WORD **DANGER**

Hazard statement(s)

H226	Flammable liquid and vapour
H315	Causes skin irritation
H319	Causes serious eye irritation
H334	May cause allergy or asthma symptoms or breathing
H317	difficulties May cause an allergic skin reaction
H335	May cause respiratory irritation.

This SDS and the hazard classifications contained herein only apply to the product in its concentrated form as supplied. When diluted to 1:25 or more the solution becomes non-hazardous. However, good hygiene and housekeeping practices should be adhered to

Precautionary statement(s) Prevention

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P233	Keep container tightly closed.
P240	Ground/Bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P280	Wear protective gloves and eye protection
P261	Avoid breathing mists/vapours/spray.
P262	Do not get in eyes, on skin or on clothing.
P264	Wash thoroughly after handling.
P273	Avoid release to the environment.
P272	Contaminated work clothing should not be allowed out of the
P285	workplace In case of inadequate ventilation wear respiratory
P271	protection
	Use only outdoors or in a well-ventilated area.

Precautionary statement(s) Response

P303+P361+P353+P333+P313	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Wash with plenty of water and soap. If skin irritation or rash occurs, get medical advice / attention.
P313+P310+P351+P338	IF IN EYES: Get medical advice/attention. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
P304+P341+P342+P311	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTRE or doctor.
P370+P378	In case of fire: Use alcohol resistant foam or normal protein foam for extinction.
P363	Wash contaminated clothing before reuse.

Precautionary statement(s) Storage

P405+P403+P235	Store locked up. Store in a well-ventilated place. Keep cool.
----------------	---

Precautionary statement(s) Disposal

P501	Dispose of contents / container in accordance with local government regulations
------	---

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures.

Mixtures

CAS No % [weight] Name	
67-63-0 10- <30 isopropanol	_____
64-17-5 <10 ethanol-	_____
Trade secret <10 proprietary fragrance	_____
57-55-6 <10 propylene glycol	_____
8000-48-4 <10 eucalyptus oil	_____

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Seek medical attention without delay. Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	If vapours or spray are inhaled remove from contaminated area into fresh air. If breathing is difficult obtain medical advice/attention without delay.
Ingestion	Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed.

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

Extinguishing media	Use alcohol resistant foam or normal protein foam for extinction
---------------------	--

Special hazards arising from the substrate or mixture.

Fire incompatibilities	Avoid contamination with oxidising agents
------------------------	---

Advice for firefighters

Fire fighting	<p>Alert Fire Brigade and tell them location and nature of hazard. May be violently or explosively reactive. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water course. Consider evacuation (or protect in place). Fight fire from a safe distance, with adequate cover. If safe, switch off electrical equipment until vapour fire hazard removed. Use water delivered as a fine spray to control the fire and cool adjacent area. Avoid spraying water onto liquid pools. Do not approach containers suspected to be hot..</p>
Fire/Explosion Hazard	<p>Contains low boiling substance: Closed containers may rupture due to pressure buildup under fire conditions. Liquid and vapour are highly flammable. Severe fire hazard when exposed to heat, flame and/or oxidisers. Vapour may travel a considerable distance to source of ignition. Heating may cause expansion or decomposition leading to violent rupture of containers. On combustion, may emit toxic fumes of carbon monoxide (CO), carbon dioxide (CO2) and other pyrolysis products typical of burning organic material</p>
HAZCHEM	3Y

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Minor Spills	<p>Minor environmental hazard - contain spillage. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.</p>
Major Spills	<p>Minor environmental hazard - contain spillage. Wear eye protection plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations. Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle.</p>
PPE	Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	<p>Wear respiratory protection and eye protection when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers.</p>
Other information	

Conditions for safe storage, including any incompatibilities.

Suitable container	<p>Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.</p>
Storage incompatibility	Avoid reaction with oxidising agents

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA



Source Ingredient	Material name	TWA STEL	Peak	Notes		
Australia Exposure Standards	isopropanol	Isopropyl alcohol	683 mg/m ³ / 400 ppm	1230 mg/m ³ / 500 ppm	Not Available	Not Available
Australia Exposure Standards	ethanol, denatured	Ethyl alcohol	1880 mg/m ³ / 1000 ppm	Not Available	Not Available	Not Available
Australia Exposure Standards	Propylene glycol	Propane-1,2-diol	474 mg/m ³ /150ppm	Not Available	Not Available	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
isopropanol	Isopropyl alcohol	400 ppm	400 ppm	12,000 ppm
ethanol, denatured	Ethyl alcohol	Not available	Not available	Not available

Ingredient	Original IDLH	Revised IDLH
isopropanol	12,000 ppm	2,000 [LEL] ppm
ethanol, denatured	15,000 ppm	3,300[LEL] ppm

Exposure controls

Appropriate engineering controls	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate. If ventilation is poor, then the use of a local exhaust ventilation system is recommended.
Personal protection	 
Eye and face protection	Safety glasses with side shields OR Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation. Lens should be removed in a clean environment only after workers have washed hands thoroughly.
Skin protection	See Hand protection below
Hands/feet protection	It is good practice to wear protective gloves when handling chemicals. Neoprene gloves are recommended for this application.
Body protection	See Other protection below
Other protection	Eye wash unit.
Thermal hazards	Not Available

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Clear liquid		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Strongly fragrant	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	7 - 8	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	>23 °C	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Flammable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Complete	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects of the respiratory tract (as classified by EC Directives using animal models). However it is, good hygiene practice for exposure be kept to a minimum and that suitable control measures be used in an occupational setting.
Ingestion	The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. This is because of the lack of corroborating animal or human evidence.
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.
Eye	This material can cause eye irritation in some persons. Eye contact may cause tearing or blurring No relative data is listed.
Chronic	

Toxicological effects of ingredients

isopropanol	Acute toxicity	Oral LD50 (rat) 5045 – 5840 mg/kg Dermal LD50 (rabbit) 12800 mg/kg Inhalation LC50 (rat) 16000 ppm/8h
	Skin corrosion/irritation	May be irritating to skin
	Eye damage/irritation	Causes serious eye irritation
	Respiratory/skin sensitization	Not expected to be a sensitizer
	Germ cell mutagenicity	Not considered to be a mutagenic hazard
	Carcinogenicity	Not considered to be a carcinogenic hazard.
	Reproductive toxicity	Not considered to be toxic to reproduction
	STOT (single exposure)	May cause drowsiness or dizziness
	STOT (repeated exposure)	Not expected to cause toxicity to a specific organ
	Aspiration toxicity	Not expected to be an aspiration hazard
ethanol	Acute toxicity	Oral LD50 (mouse) 3450 mg/kg Inhalation LC50 (rat) 2000 ppm/10hrs
	Skin corrosion/irritation	Irritating to skin. Prolonged contact may result in drying and defatting of the skin, rash and dermatitis.
	Eye damage/irritation	Irritating to eyes. Exposure may result in lacrimation, irritation, pain and redness
	Respiratory/skin sensitization	No Data Available
	Germ cell mutagenicity	No Data Available
	Carcinogenicity	No Data Available
	Reproductive toxicity	No Data Available
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	Chronic ingestion may result in cirrhosis of the liver
	Aspiration toxicity	No Data Available
proprietary fragrance	Acute toxicity	No relevant data
	Skin corrosion/irritation	Causes skin irritation
propylene glycol	Eye damage/irritation	Causes serious eye irritation
	Respiratory/skin sensitization	May cause allergy or asthma symptoms or breathing difficulties./ May cause an allergic skin reaction
	Germ cell mutagenicity	No mutagenic component identified
	Carcinogenicity	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed carcinogen by IARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential carcinogen by OSHA
	Reproductive toxicity	Possible reproductive hazard
	STOT (single exposure)	May cause respiratory irritation.
	STOT (repeated exposure)	None known
	Aspiration toxicity	Not classified.
	Acute toxicity	Oral LD50 (rat) >20000 mg/kg Dermal LD50 (rabbit) >2000 mg/kg Inhalation LC50 (rabbit) >20 mg/L/4hr
	Skin corrosion/irritation	May be irritating
Eye damage/irritation	May be an eye irritant	
proprietary fragrance	Respiratory/skin sensitization	No data available
	Germ cell mutagenicity	Not mutagenic
	Carcinogenicity	Non-carcinogenic based on animal studies
	Reproductive toxicity	No reproductive or developmental effects.
	STOT (single exposure)	May cause respiratory irritation
	STOT (repeated exposure)	High doses in diet showed a decrease in red blood cells survival rate
	Aspiration toxicity	Not classified

SECTION 12 ECOLOGICAL INFORMATION

Toxicity				
	Endpoint	Duration (Hr.)	Species	Value
isopropanol	LC50	96	Fish	9-640mg/L
	EC50	48	Crustacea	12500mg/L
	EC50	72	Algae or other aquatic plants	>1000mg/L
	EC0	24	Crustacea	5-102mg/L
	NOEC	504	Crustacea	=30mg/L
ethanol, denatured	LC50	96	Fish	42-mg/L
	EC50	48	Crustacea	2-mg/L
	EC50	96	Algae or other aquatic plants	-8.358-26.503mg/L
	EC10	168	Algae or other aquatic plants	1.91-mg/L
	NOEC	2016	Fish	0.000375-mg/L
propylene glycol	EC50	48h	Crustacea	>0.342mg/L
	LC50	96h	Fish	>10000mg/l
	EC50	96h	Algae or other aquatic plants	19000mg/l
	NOEC(ECx)	336h	Algae or other aquatic plants	<5300mg/l

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
isopropanol	LOW (Half-life = 14 days)	LOW (Half-life = 3 days)
ethanol	LOW (Half-life = 2.17 days)	LOW (Half-life = 5.08 days)
propylene glycol	LOW	LOW

Bio accumulative potential

Ingredient	Bioaccumulation
isopropanol	LOW (BCF = 130)
ethanol	LOW (LogKOW = -0.31)
propylene glycol	LOW (BCF = 1)

Mobility in soil

Ingredient	Mobility
isopropanol	HIGH (KOC = 1.06)
ethanol	HIGH (KOC = 1)
propylene glycol	HIGH (KOC = 1)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / packaging disposal	Recycle containers whenever possible. Product residues and containers should be disposed of in accordance with local government regulations
------------------------------	--

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
HAZCHEM	3Y

Land transport (Not Applicable): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS IN PACK SIZES OF 5L OR LESS

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

ISOPROPANOL IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
 Australian Inventory of Industrial Chemicals (AIIC)
 International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

ETHANOL, DENATURED IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
 Australian Inventory of Industrial Chemicals (AIIC)

PROPYLENE GLYCOL IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5
 Australian Inventory of Industrial Chemicals (AIIC)

SECTION 16 OTHER INFORMATION

Revision Schedule

Revision Date	12/05/2022
Initial Date	1

SDS Version Summary	01/10/201
Version	9
Issue Date	Sections Updated
2.1	12/05/2021
	Sections 2, 3, 11, 12, 15, 16 have been updated or corrected

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources such as the ECHA C&L Chemical Inventory, HSNO (CCID) New Zealand, AICIS and HCIS Australia

DISCLAIMER: While the information in this Safety Data Sheet (SDS) is believed to be true and accurate based on the current level of knowledge available to us, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of APPLIED PRODUCTS AUSTRALIA PTY LTD and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures, or processes.

Definitions and abbreviations

PC-TWA;	Permissible Concentration-Time Weighted Average
PC-STEL;	Permissible Concentration-Short Term Exposure Limit
IARC:	International Agency for Research on Cancer
ACGIH:	American Conference of Government Industrial Hygienists
STEL:	Short Term Exposure Limit
TEEL:	Temporary Emergency Exposure Limit
IDLH:	Immediate Danger to Life or Health Concentrations
OSF:	Odour Safety Factor
NOAEL:	No Observed Effects Level
TLV:	Threshold Limit Value
LOD:	Limit Of Detection
OTV:	Odour Threshold Value
BCF:	Bio Concentration Factors
BEI:	Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from Applied Products Australia Pty Ltd.

End of SDS